

BIG HORN - refrigerated top table unit | Big Horn left or right (without KIT)

SKU: 25082

ADDITIONAL INFORMATION

Weight	83 kg
Dimensions	750 × 1320 × 850 mm
Packaging dimension (Wi)	1320
Packaging dimension (De)	750
Packaging dimension (He)	850
External size (Wi)	1302
External size (De)	620
External size (Hi)	640
Gross weight (kg)	83
Voltage (V/Hz)	220/50
Power (W)	320
Refrigeration range (°C)	+2...+12
Refrigerant type	R455a
Max. temperature and humidity (°C/%)	+25/60
Type of cooling	Static
Number of shelves/basket	2
Lighting	No
Feet, wheels	Yes
Casing colour (exterior/interior)	inox
Automatic defrost	yes
Exposition part (m2)	1,3
Aggregate type	built-in aggregate
Net weight (kg)	77



GALLERY IMAGES



PRODUCT DESCRIPTION

The refrigerated case Bighorn with modern design is ideal for presentation and sale of cooled products and is especially convenient for small and medium size shops.

The display area of the case is equipped with two shelves and bottom, there is also a fluorescent light in the upper part of the case. The easy access to displayed products allows the sell over model the back sliding glass and the self service model the front hinged perplexes.

The refrigerated showcase Bighorn Remote has got an aggregate placed away from the showcase. The maximum distance of 2 meters (standard), is designed for chilled food presentation and sale. The showcase is connected to the aggregate unit by thermoplastic hoses and quick-acting couplings, which enable fast connection without the necessity of contacting specialised engineers. The next big advantage is greater flexibility in placing the aggregate under the showcase and also the possibility to disconnect and reconnect the unit in the future. Wherever deciding to place the aggregate, make sure there is good ventilation, to increase the cooling systems' life.

Optional product: self-service model with front hinged perplexes (removable KIT) and with back sliding door.

Technical data: stainless-steel construction; front, side and back double insulated glass (low costs); adjustable feet; static cooling; electronic control of the unit; automatic defrosting and evaporation of condensate water; refrigerating gas is environmentally friendly; the aggregate can be placed on the right or on the left side of unit

ADDITIONAL INFORMATION

Weight	83 kg
Dimensions	750 × 1320 × 850 mm
Packaging dimension (Wi)	1320
Packaging dimension (De)	750
Packaging dimension (He)	850
External size (Wi)	1302
External size (De)	620
External size (Hi)	640
Gross weight (kg)	83
Voltage (V/Hz)	220/50
Power (W)	320
Refrigeration range (°C)	+2...+12
Refrigerant type	R455a
Max. temperature and humidity (°C/%)	+25/60
Type of cooling	Static
Number of shelves/basket	2
Lighting	No
Feet, wheels	Yes
Casing colour (exterior/interior)	inox
Automatic defrost	yes
Exposition part (m2)	1.3
Aggregate type	built-in aggregate
Net weight (kg)	77

