

Compact Plus | Glasswasher

SKU: 25051

ADDITIONAL INFORMATION

Weight	121 kg
Dimensions	890 × 770 × 1510 mm
Packaging dimension (Wi)	770
Packaging dimension (De)	890
Packaging dimension (He)	1510
External size (De)	775
External size (Hi)	1895
Gross weight (kg)	121
Voltage (V/Hz)	400V~3N/50Hz
Noise (dB(A))	61 dB
Power (W)	10000
Energy consumption (kW/24h)	240,00
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	500×500
Number of baskets	22 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	27
Duration of the cycle (mp)	70/120/180/240/300
Maximal dish size (mm)	400
Net weight (kg)	105



GALLERY IMAGES



PRODUCT DESCRIPTION

Products from Univerbar's PLUS Line stand out for electronic touch buttons which allow the client to customise settings: there are 5 washing times to choose from, a double display that shows the temperature, and a main switch that changes colour according to the washing phase. There are also 21 different tailored parameters that technicians can program to guarantee a consistently correct set-up. PLUS Line products come with an electric rinse-aid pump which guarantees the best quality drying results for every washing cycle. PLUS products include a soft start function, which prevents steam from escaping from the door when washing starts. Furthermore, the eco-friendly hot water

option helps reduce electric consumption. These products could also feature optional accessories, including: a thermal-stop option, which insures an 85° hot rinse, an extra rinse function and selections for other special cycles.

ADDITIONAL INFORMATION

Weight	121 kg
Dimensions	890 × 770 × 1510 mm
Packaging dimension (Wi)	770
Packaging dimension (De)	890
Packaging dimension (He)	1510
External size (De)	775
External size (Hi)	1895
Gross weight (kg)	121
Voltage (V/Hz)	400V~3N/50Hz
Noise (dB(A))	61 dB
Power (W)	10000
Energy consumption (kW/24h)	240,00
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	500×500
Number of baskets	22 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	27
Duration of the cycle (mp)	70/120/180/240/300
Maximal dish size (mm)	400
Net weight (kg)	105

