

GS 35 | Glasswasher

SKU: 6042

ADDITIONAL INFORMATION

Weight	33,5 kg
Dimensions	570 × 500 × 710 mm
Brand	DIHR
Packaging dimension (Wi)	500
Packaging dimension (De)	570
Packaging dimension (He)	710
External size (Wi)	400
External size (De)	495
External size (Hi)	585
Gross weight (kg)	335
Voltage (V/Hz)	230/50
Power (W)	2600
Water consumption per cycle (l)	1,4
Basket dimensions (mm)	350 x 350
Washing up efficiency (basket/hour)	30
Tank capacity (l)	9,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	195
Net weight (kg)	28



PRODUCT DESCRIPTION

The GS 35 single-walled dishwasher with AISI 304 stainless steel exterior and interior, heat- and sound-insulated double-walled door, LED panel, two speeds, opening sensor safety microswitch, deep-drawn basin (12.0 liters), integrated system of overflow and drain pipes for triple protection of the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 3.0 liters, electronically controlled, Sewage discharge pump without pump (with gravity discharge). The dishwasher has a max. Suitable for glasses with a height of 195 mm. Basket size: 350x350mm. Accessories: 1 basket (for glasses) plus 1 plate adapter, 1 cutlery basket. The base unit is available in 230V / 50Hz version. Use of softener is obligatory!

ADDITIONAL INFORMATION

Weight	33,5 kg
Dimensions	570 × 500 × 710 mm
Brand	DIHR
Packaging dimension (Wi)	500
Packaging dimension (De)	570
Packaging dimension (He)	710
External size (Wi)	400
External size (De)	495
External size (Hi)	585
Gross weight (kg)	335
Voltage (V/Hz)	230/50
Power (W)	2600
Water consumption per cycle (l)	1,4
Basket dimensions (mm)	350 x 350
Washing up efficiency (basket/hour)	30
Tank capacity (l)	9,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	195
Net weight (kg)	28

