

GS 40 D | Glasswasher
SKU: 6052

ADDITIONAL INFORMATION

Weight	43 kg
Dimensions	620 × 530 × 820 mm
Brand	DIHR
Packaging dimension (Wi)	530
Packaging dimension (De)	620
Packaging dimension (He)	820
External size (Wi)	450
External size (De)	535
External size (Hi)	700
Gross weight (kg)	43
Voltage (V/Hz)	230/50
Power (W)	3200
Water consumption per cycle (l)	1,8
Basket dimensions (mm)	400 x 400
Washing up efficiency (basket/hour)	30
Tank capacity (l)	14,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	305
Net weight (kg)	37



PRODUCT DESCRIPTION

GS 40 D single-walled dishwasher with built-in water softener, AISI 304 material-grade stainless steel exterior and interior, heat and soundproof double-walled door, LED panel, opening sensor safety microswitch, deep-drawn basin (15.5 liters), overflow and drain pipes (for triple protection of the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 3.4 liters, electronically controlled , without effluent pump (with gravity discharge). Dishwasher max. Suitable for 295 mm high glasses and 200 mm diameter plates. Basket size: 400x400mm. The dishwasher has a built-in water softener!

ADDITIONAL INFORMATION

Weight	43 kg
Dimensions	620 × 530 × 820 mm
Brand	DIHR
Packaging dimension (Wi)	530
Packaging dimension (De)	620
Packaging dimension (He)	820
External size (Wi)	450
External size (De)	535
External size (Hi)	700
Gross weight (kg)	43
Voltage (V/Hz)	230/50
Power (W)	3200
Water consumption per cycle (l)	1,8
Basket dimensions (mm)	400 x 400
Washing up efficiency (basket/hour)	30
Tank capacity (l)	14,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	305
Net weight (kg)	37

