

GS 40 | Glasswasher

SKU: 6050

ADDITIONAL INFORMATION

Weight	43 kg
Dimensions	620 × 530 × 820 mm
Brand	DIHR
Packaging dimension (Wi)	530
Packaging dimension (De)	620
Packaging dimension (He)	820
External size (Wi)	450
External size (De)	535
External size (Hi)	700
Gross weight (kg)	43
Voltage (V/Hz)	230/50
Power (W)	3200
Water consumption per cycle (l)	1,8
Basket dimensions (mm)	400 x 400
Washing up efficiency (basket/hour)	30
Tank capacity (l)	14,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	305
Net weight (kg)	37



PRODUCT DESCRIPTION

The GS 40 single-walled dishwasher with AISI 304 stainless steel exterior and interior, heat- and sound-insulated double-walled door, LED panel, two-speed, opening sensor safety microswitch, deep-drawn basin (14.5 liters), integrated system of overflow and drain pipes for triple protection of the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 3.4 liters, electronically controlled, Sewage discharge pump without pump (with gravity discharge). The dishwasher has a max. Suitable for 305 mm high glasses and 200 mm diameter plates. Basket size: 400x400mm. Accessories: 1 basket (for glasses) plus 1 plate adapter, 1 cutlery basket. The base unit is available in 230V / 50Hz version. Use of softener is obligatory!

ADDITIONAL INFORMATION

Weight	43 kg
Dimensions	620 × 530 × 820 mm
Brand	DIHR
Packaging dimension (Wi)	530
Packaging dimension (De)	620
Packaging dimension (He)	820
External size (Wi)	450
External size (De)	535
External size (Hi)	700
Gross weight (kg)	43
Voltage (V/Hz)	230/50
Power (W)	3200
Water consumption per cycle (l)	1,8
Basket dimensions (mm)	400 x 400
Washing up efficiency (basket/hour)	30
Tank capacity (l)	14,5
Duration of the cycle (mp)	120
Maximal dish size (mm)	305
Net weight (kg)	37

