

GS50 D | Glass and dishwasher

**SKU:** 6056

## **ADDITIONAL INFORMATION**

<b>Weight</b>	65 kg
<b>Dimensions</b>	660 × 660 × 1010 mm
<b>Brand</b>	<a href="#">DIHR</a>
<b>Packaging dimension (Wi)</b>	<a href="#">660</a>
<b>Packaging dimension (De)</b>	<a href="#">660</a>
<b>Packaging dimension (He)</b>	<a href="#">1010</a>
<b>External size (Wi)</b>	<a href="#">590</a>
<b>External size (De)</b>	<a href="#">600</a>
<b>External size (Hi)</b>	<a href="#">850</a>
<b>Gross weight (kg)</b>	<a href="#">6.5</a>
<b>Voltage (V/Hz)</b>	<a href="#">400/50</a>
<b>Power (W)</b>	<a href="#">5200</a>
<b>Water consumption per cycle (l)</b>	<a href="#">2.3</a>
<b>Basket dimensions (mm)</b>	<a href="#">500 x 500</a>
<b>Washing up efficiency (basket/hour)</b>	<a href="#">30</a>
<b>Tank capacity (l)</b>	<a href="#">29</a>
<b>Duration of the cycle (mp)</b>	<a href="#">120/180</a>
<b>Maximal dish size (mm)</b>	<a href="#">345</a>
<b>Net weight (kg)</b>	<a href="#">57</a>



## PRODUCT DESCRIPTION

GS 50 D single-walled dishwasher with built-in water softener, AISI 304 grade stainless steel exterior and interior, heat and soundproof double-walled door, LED panel, two speeds, opening sensor safety microswitch, deep-drawn basin (29.0 liters), overflow and with a standard system of drain pipes (to triple protect the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 5.7 liters , with electronic control, without wastewater discharge pump (with gravity discharge). Dishwasher max.

Suitable for 320 mm high glasses and 345 mm diameter plates. Basket size: 500x500mm.

Accessories: 2 baskets (for glasses and plates), 1 cutlery basket. The base unit is available in 400V / 50Hz, but is optionally available in 230V / 50Hz. The dishwasher has a built-in water softener!

## ADDITIONAL INFORMATION

<b>Weight</b>	65 kg
<b>Dimensions</b>	660 × 660 × 1010 mm
<b>Brand</b>	<a href="#">DIHR</a>
<b>Packaging dimension (Wi)</b>	<a href="#">660</a>
<b>Packaging dimension (De)</b>	<a href="#">660</a>
<b>Packaging dimension (He)</b>	<a href="#">1010</a>
<b>External size (Wi)</b>	<a href="#">590</a>
<b>External size (De)</b>	<a href="#">600</a>
<b>External size (Hi)</b>	<a href="#">850</a>
<b>Gross weight (kg)</b>	<a href="#">6,5</a>
<b>Voltage (V/Hz)</b>	<a href="#">400/50</a>
<b>Power (W)</b>	<a href="#">5200</a>
<b>Water consumption per cycle (l)</b>	<a href="#">2,3</a>
<b>Basket dimensions (mm)</b>	<a href="#">500 x 500</a>
<b>Washing up efficiency (basket/hour)</b>	<a href="#">30</a>
<b>Tank capacity (l)</b>	<a href="#">29</a>
<b>Duration of the cycle (mp)</b>	<a href="#">120/180</a>
<b>Maximal dish size (mm)</b>	<a href="#">345</a>
<b>Net weight (kg)</b>	<a href="#">57</a>



