

GS50 | Glass and dishwasher

**SKU:** 6054

## **ADDITIONAL INFORMATION**

|  |                           |
|--|---------------------------|
| <b>Weight</b>                              | 65 kg                     |
| <b>Dimensions</b>                          | 660 × 660 × 1010 mm       |
| <b>Brand</b>                               | <a href="#">DIHR</a>      |
| <b>Packaging dimension (Wi)</b>            | <a href="#">660</a>       |
| <b>Packaging dimension (De)</b>            | <a href="#">660</a>       |
| <b>Packaging dimension (He)</b>            | <a href="#">1010</a>      |
| <b>External size (Wi)</b>                  | <a href="#">590</a>       |
| <b>External size (De)</b>                  | <a href="#">600</a>       |
| <b>External size (Hi)</b>                  | <a href="#">850</a>       |
| <b>Gross weight (kg)</b>                   | <a href="#">6.5</a>       |
| <b>Voltage (V/Hz)</b>                      | <a href="#">400/50</a>    |
| <b>Power (W)</b>                           | <a href="#">5200</a>      |
| <b>Water consumption per cycle (l)</b>     | <a href="#">2.3</a>       |
| <b>Basket dimensions (mm)</b>              | <a href="#">500 x 500</a> |
| <b>Washing up efficiency (basket/hour)</b> | <a href="#">30</a>        |
| <b>Tank capacity (l)</b>                   | <a href="#">29</a>        |
| <b>Duration of the cycle (mp)</b>          | <a href="#">120/180</a>   |
| <b>Maximal dish size (mm)</b>              | <a href="#">345</a>       |
| <b>Net weight (kg)</b>                     | <a href="#">57</a>        |



## PRODUCT DESCRIPTION

The GS 50 single-walled dishwasher with AISI 304 stainless steel exterior and interior, heat- and sound-insulated double-walled door, LED panel, two speeds, opening sensor safety microswitch, deep-drawn basin (29.0 liters), integrated system of overflow and drain pipes for triple protection of the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 5.7 liters, electronically controlled, Sewage discharge pump without pump (with gravity discharge). Dishwasher max. Suitable for 320 mm high glasses and 345 mm diameter plates. Basket size: 500x500mm. Accessories: 2 baskets (for glasses and plates), 1 cutlery basket. The base unit is available in 400V / 50Hz, but is optionally available in 230V / 50Hz. The use of a water softener is mandatory!

## ADDITIONAL INFORMATION

|  |                           |
|--|---------------------------|
| <b>Weight</b>                              | 65 kg                     |
| <b>Dimensions</b>                          | 660 × 660 × 1010 mm       |
| <b>Brand</b>                               | <a href="#">DIHR</a>      |
| <b>Packaging dimension (Wi)</b>            | <a href="#">660</a>       |
| <b>Packaging dimension (De)</b>            | <a href="#">660</a>       |
| <b>Packaging dimension (He)</b>            | <a href="#">1010</a>      |
| <b>External size (Wi)</b>                  | <a href="#">590</a>       |
| <b>External size (De)</b>                  | <a href="#">600</a>       |
| <b>External size (Hi)</b>                  | <a href="#">850</a>       |
| <b>Gross weight (kg)</b>                   | <a href="#">6,5</a>       |
| <b>Voltage (V/Hz)</b>                      | <a href="#">400/50</a>    |
| <b>Power (W)</b>                           | <a href="#">5200</a>      |
| <b>Water consumption per cycle (l)</b>     | <a href="#">2,3</a>       |
| <b>Basket dimensions (mm)</b>              | <a href="#">500 x 500</a> |
| <b>Washing up efficiency (basket/hour)</b> | <a href="#">30</a>        |
| <b>Tank capacity (l)</b>                   | <a href="#">29</a>        |
| <b>Duration of the cycle (mp)</b>          | <a href="#">120/180</a>   |
| <b>Maximal dish size (mm)</b>              | <a href="#">345</a>       |
| <b>Net weight (kg)</b>                     | <a href="#">57</a>        |



