


GS50 T DA | Glass and dishwasher

SKU: 11534

ADDITIONAL INFORMATION

Weight	65 kg
Dimensions	660 × 660 × 1010 mm
Brand	DIHR
Packaging dimension (Wi)	660
Packaging dimension (De)	660
Packaging dimension (He)	1010
External size (Wi)	590
External size (De)	600
External size (Hi)	850
Gross weight (kg)	6.5
Voltage (V/Hz)	400/50
Power (W)	5200
Water consumption per cycle (l)	2.3
Basket dimensions (mm)	500 x 500
Washing up efficiency (basket/hour)	60
Tank capacity (l)	29
Duration of the cycle (mp)	120/180
Maximal dish size (mm)	345
Net weight (kg)	57



PRODUCT DESCRIPTION

GS 50 TDA single-walled dish and glass dishwasher with integrated automatic water softener, AISI 304 material-grade stainless steel exterior and interior, heat and soundproof double-walled door, DIGITAL panel, opening sensor safety microswitch, deep-drawn basin and overflow basin (29.0 liters), overflow with a standard system of drain pipes (to triple protect the washing pump), non-return valve, built-in rinse aid dispenser, "Thermostop" system (rinsing only starts when the water in the boiler reaches 85 ° C), boiler capacity: 5.7 liters , With DIGITAL TOUCH BUTTON control, 4 preset washing programs. The display shows the temperature of the water in the boiler and the tank, the number and status of the current washing program, and the error codes in case of a problem. "Soft Start" function for extremely fragile objects (gradually increasing water pressure in the wash and rinse cycles). Sewage discharge pump without pump (with gravity discharge). Suitable for glasses up to 320 mm high and plates with a diameter of 345 mm. Basket size: 500x500mm. Accessories: 2 baskets (for glasses and plates), 1 cutlery basket. The base unit is available in 400V / 50Hz, but is optionally available in 230V / 50Hz. The device has a built-in automatic water softener!

ADDITIONAL INFORMATION

Weight	65 kg
Dimensions	660 × 660 × 1010 mm
Brand	DIHR
Packaging dimension (Wi)	660
Packaging dimension (De)	660
Packaging dimension (He)	1010
External size (Wi)	590
External size (De)	600
External size (Hi)	850
Gross weight (kg)	6.5
Voltage (V/Hz)	400/50
Power (W)	5200
Water consumption per cycle (l)	2.3
Basket dimensions (mm)	500 x 500
Washing up efficiency (basket/hour)	60
Tank capacity (l)	29
Duration of the cycle (mp)	120/180
Maximal dish size (mm)	345
Net weight (kg)	57

