

GS50 T | Glass and dishwasher

**SKU:** 15763

## **ADDITIONAL INFORMATION**

<b>Weight</b>	65 kg
<b>Dimensions</b>	660 × 660 × 1010 mm
<b>Brand</b>	<a href="#">DIHR</a>
<b>Packaging dimension (Wi)</b>	<a href="#">660</a>
<b>Packaging dimension (De)</b>	<a href="#">660</a>
<b>Packaging dimension (He)</b>	<a href="#">1010</a>
<b>External size (Wi)</b>	<a href="#">590</a>
<b>External size (De)</b>	<a href="#">600</a>
<b>External size (Hi)</b>	<a href="#">850</a>
<b>Gross weight (kg)</b>	<a href="#">6.5</a>
<b>Voltage (V/Hz)</b>	<a href="#">400/50</a>
<b>Power (W)</b>	<a href="#">5200</a>
<b>Water consumption per cycle (l)</b>	<a href="#">2.3</a>
<b>Basket dimensions (mm)</b>	<a href="#">500 x 500</a>
<b>Washing up efficiency (basket/hour)</b>	<a href="#">60</a>
<b>Tank capacity (l)</b>	<a href="#">29</a>
<b>Duration of the cycle (mp)</b>	<a href="#">120/180</a>
<b>Maximal dish size (mm)</b>	<a href="#">345</a>
<b>Net weight (kg)</b>	<a href="#">57</a>



## GALLERY IMAGES



## **PRODUCT DESCRIPTION**

The GS 50 T has an AISI 304 glass exterior with sound and heat resistant door, LED panel, double door safety microswitch, deep drawn and sloping tank for perfect water flow, a unified system of overflow and drainage pipes for three times protection of the washer pump with a reflux valve and rinse aid dispenser peristaltic version on request) with a heat pump system (rinsing starts only when the water in the boiler reaches 85 ° C) and the electronic version has 4 preset washing programs. Soft start function for extremely fragile objects. Bottle maker max. For 320 mm glasses and max. Suitable for 345 mm plates. Accessories: 2 cups for 1 cutlery . Cart size: 500x500mm. Use of softener is obligatory!The product can be ordered in single phase versions! See Options below!

## ADDITIONAL INFORMATION

<b>Weight</b>	65 kg
<b>Dimensions</b>	660 × 660 × 1010 mm
<b>Brand</b>	<a href="#">DIHR</a>
<b>Packaging dimension (Wi)</b>	<a href="#">660</a>
<b>Packaging dimension (De)</b>	<a href="#">660</a>
<b>Packaging dimension (He)</b>	<a href="#">1010</a>
<b>External size (Wi)</b>	<a href="#">590</a>
<b>External size (De)</b>	<a href="#">600</a>
<b>External size (Hi)</b>	<a href="#">850</a>
<b>Gross weight (kg)</b>	<a href="#">6,5</a>
<b>Voltage (V/Hz)</b>	<a href="#">400/50</a>
<b>Power (W)</b>	<a href="#">5200</a>
<b>Water consumption per cycle (l)</b>	<a href="#">2,3</a>
<b>Basket dimensions (mm)</b>	<a href="#">500 x 500</a>
<b>Washing up efficiency (basket/hour)</b>	<a href="#">60</a>
<b>Tank capacity (l)</b>	<a href="#">29</a>
<b>Duration of the cycle (mp)</b>	<a href="#">120/180</a>
<b>Maximal dish size (mm)</b>	<a href="#">345</a>
<b>Net weight (kg)</b>	<a href="#">57</a>



