

GS50 T | Glass and dishwasher

SKU: 15763

ADDITIONAL INFORMATION

Weight	65 kg
Dimensions	660 × 660 × 1010 mm
Brand	DIHR
Packaging dimension (Wi)	660
Packaging dimension (De)	660
Packaging dimension (He)	1010
External size (Wi)	590
External size (De)	600
External size (Hi)	850
Gross weight (kg)	6.5
Voltage (V/Hz)	400/50
Power (W)	5200
Water consumption per cycle (l)	2.3
Basket dimensions (mm)	500 x 500
Washing up efficiency (basket/hour)	60
Tank capacity (l)	29
Duration of the cycle (mp)	120/180
Maximal dish size (mm)	345
Net weight (kg)	57



GALLERY IMAGES



PRODUCT DESCRIPTION

The GS 50 T has an AISI 304 glass exterior with sound and heat resistant door, LED panel, double door safety microswitch, deep drawn and sloping tank for perfect water flow, a unified system of overflow and drainage pipes for three times protection of the washer pump with a reflux valve and rinse aid dispenser peristaltic version on request) with a heat pump system (rinsing starts only when the water in the boiler reaches 85 ° C) and the electronic version has 4 preset washing programs. Soft start function for extremely fragile objects. Bottle maker max. For 320 mm glasses and max. Suitable for 345 mm plates. Accessories: 2 cups for 1 cutlery . Cart size: 500x500mm. Use of softener is obligatory!The product can be ordered in single phase versions! See Options below!

ADDITIONAL INFORMATION

Weight	65 kg
Dimensions	660 × 660 × 1010 mm
Brand	DIHR
Packaging dimension (Wi)	660
Packaging dimension (De)	660
Packaging dimension (He)	1010
External size (Wi)	590
External size (De)	600
External size (Hi)	850
Gross weight (kg)	6.5
Voltage (V/Hz)	400/50
Power (W)	5200
Water consumption per cycle (l)	2.3
Basket dimensions (mm)	500 x 500
Washing up efficiency (basket/hour)	60
Tank capacity (l)	29
Duration of the cycle (mp)	120/180
Maximal dish size (mm)	345
Net weight (kg)	57

