

KH-CC200 HS | Hűtősziget

SKU: 9661

ADDITIONAL INFORMATION

Weight	138 kg
Dimensions	1280 × 1040 × 1010 mm
Packaging dimension (Wi)	1040
Packaging dimension (De)	1280
Packaging dimension (He)	1010
External size (Wi)	1015
External size (De)	1255
External size (Hi)	905
Internal size (Wi)	705
Internal size (De)	1075
Internal size (He)	295
Gross weight (kg)	13,8
Voltage (V/Hz)	230/50
Noise (dB(A))	42
Power (W)	994
Energy consumption (kW/24h)	13,78
Gross capacity (l)	200
Net volume (l)	16,5
Energy class	G
Refrigeration range (°C)	+1...+10
Refrigerant type	R290
Max. temperature and humidity (°C/%)	+25/60
Climate class	4
Type of cooling	dynamic
Net weight (kg)	128



PRODUCT DESCRIPTION

Hűtősziget thermo üveggel, beépített világítással és automata leolvastással. Mind a négy oldala matricázható.

ADDITIONAL INFORMATION

Weight	138 kg
Dimensions	1280 × 1040 × 1010 mm
Packaging dimension (Wi)	1040
Packaging dimension (De)	1280
Packaging dimension (He)	1010
External size (Wi)	1015
External size (De)	1255
External size (Hi)	905
Internal size (Wi)	705
Internal size (De)	1075
Internal size (He)	295
Gross weight (kg)	13,8
Voltage (V/Hz)	230/50
Noise (dB(A))	42
Power (W)	994
Energy consumption (kW/24h)	13,78
Gross capacity (l)	200
Net volume (l)	16,5
Energy class	G
Refrigeration range (°C)	+1...+10
Refrigerant type	R290
Max. temperature and humidity (°C/%)	+25/60
Climate class	4
Type of cooling	dynamic
Net weight (kg)	128

