

KH-CC500 SC | Italhűtőláda

SKU: 9663

ADDITIONAL INFORMATION

Weight	102 kg
Dimensions	680 × 1585 × 950 mm
Packaging dimension (Wi)	1585
Packaging dimension (De)	680
Packaging dimension (He)	950
External size (Wi)	1548
External size (De)	629
External size (Hi)	892
Internal size (Wi)	1430
Internal size (De)	510
Internal size (He)	663
Gross weight (kg)	10,2
Voltage (V/Hz)	230/50
Power (W)	350
Energy consumption (kW/24h)	4,3
Gross capacity (l)	491
Net volume (l)	430
Refrigeration range (°C)	+1...+10
Refrigerant type	R600a
Max. temperature and humidity (°C/%)	+30/55
Climate class	4
Type of cooling	Static
Lock	van
Net weight (kg)	85



Thermotechnika
Crown Cool Kft.

UDD 500 SC



986 kWh/annum



392 L



-18 °C



≤ 40 °C

2019/2018

PRODUCT DESCRIPTION

A bolti hűtőláda csúszó üvegtetővel, fehér porszórt külsővel, eloxált alumínium belsővel, CFC mentes szigeteléssel és mechanikus hőfokszabályzással.

ADDITIONAL INFORMATION

Weight	102 kg
Dimensions	680 × 1585 × 950 mm
Packaging dimension (Wi)	1585
Packaging dimension (De)	680
Packaging dimension (He)	950
External size (Wi)	1548
External size (De)	629
External size (Hi)	892
Internal size (Wi)	1430
Internal size (De)	510
Internal size (He)	663
Gross weight (kg)	10,2
Voltage (V/Hz)	230/50
Power (W)	350
Energy consumption (kW/24h)	4,3
Gross capacity (l)	491
Net volume (l)	430
Refrigeration range (°C)	+1...+10
Refrigerant type	R600a
Max. temperature and humidity (°C/%)	+30/55
Climate class	4
Type of cooling	Static
Lock	van
Net weight (kg)	85

