

KH-VC100 GDCA | Csúszó üvegajtós, felépítményes hűtővitrin

**SKU:** 48



### **ADDITIONAL INFORMATION**

<b>Weight</b>	51 kg
<b>Dimensions</b>	460 × 740 × 1050 mm
<b>Packaging dimension (Wi)</b>	<a href="#">740</a>
<b>Packaging dimension (De)</b>	<a href="#">460</a>
<b>Packaging dimension (He)</b>	<a href="#">1050</a>
<b>External size (Wi)</b>	<a href="#">650</a>
<b>External size (De)</b>	<a href="#">405</a>
<b>External size (Hi)</b>	<a href="#">940</a>
<b>Internal size (Wi)</b>	<a href="#">560</a>
<b>Internal size (De)</b>	<a href="#">260</a>
<b>Internal size (He)</b>	<a href="#">632</a>
<b>Gross weight (kg)</b>	<a href="#">51</a>
<b>Voltage (V/Hz)</b>	<a href="#">230/50</a>
<b>Power (W)</b>	<a href="#">225</a>
<b>Energy consumption (kW/24h)</b>	<a href="#">1,4</a>
<b>Gross capacity (l)</b>	<a href="#">100</a>
<b>Net volume (l)</b>	<a href="#">60</a>
<b>Energy class</b>	<a href="#">D</a>
<b>Refrigeration range (°C)</b>	<a href="#">+1...+10</a>
<b>Refrigerant type</b>	<a href="#">R600a</a>
<b>Max. temperature and humidity (°C/%)</b>	<a href="#">32/65</a>
<b>Climate class</b>	<a href="#">4</a>
<b>Type of cooling</b>	<a href="#">dynamic</a>
<b>Number of shelves/basket</b>	<a href="#">3</a>
<b>Lighting</b>	<a href="#">vízszintes LED</a>

Net weight (kg)

[46](#)





 **ENERG** 


Thermotechnika  
Crown Cool Kft. KH-VC100 GDCA

**A**  
**B**  
**C**  
**D**  
**E**  
**F**  
**G**

**D**

**500** kWh/annum

 **100** L  **7°C**

 **≤32°C**

2019/2018

## PRODUCT DESCRIPTION

A hűtővitrin reklámfelépítménnyel, porszórt acél külsővel, ABS belsővel, mechanikus hőfokszabályozással, ventilációs hűtéssel, belső világítással, ajtózárral rendelkezik. Kompakt és elegáns külseje remekül illik kisboltok pénztárgépe mellé vagy bárókba és kávézókba a hűtött italok bemutatására.

A hűtési adatok 55% levegő páratartalom és 30°C-os környezeti hőmérsékletre vonatkoznak, ettől eltérő körülmények esetén a hűtési teljesítmény változhat!

## ADDITIONAL INFORMATION

<b>Weight</b>	51 kg
<b>Dimensions</b>	460 × 740 × 1050 mm
<b>Packaging dimension (Wi)</b>	<a href="#">740</a>
<b>Packaging dimension (De)</b>	<a href="#">460</a>
<b>Packaging dimension (He)</b>	<a href="#">1050</a>
<b>External size (Wi)</b>	<a href="#">650</a>
<b>External size (De)</b>	<a href="#">405</a>
<b>External size (Hi)</b>	<a href="#">940</a>
<b>Internal size (Wi)</b>	<a href="#">560</a>
<b>Internal size (De)</b>	<a href="#">260</a>
<b>Internal size (He)</b>	<a href="#">632</a>
<b>Gross weight (kg)</b>	<a href="#">51</a>
<b>Voltage (V/Hz)</b>	<a href="#">230/50</a>
<b>Power (W)</b>	<a href="#">225</a>
<b>Energy consumption (kW/24h)</b>	<a href="#">1,4</a>
<b>Gross capacity (l)</b>	<a href="#">100</a>
<b>Net volume (l)</b>	<a href="#">60</a>
<b>Energy class</b>	<a href="#">D</a>
<b>Refrigeration range (°C)</b>	<a href="#">+1...+10</a>
<b>Refrigerant type</b>	<a href="#">R600a</a>
<b>Max. temperature and humidity (°C/%)</b>	<a href="#">32/65</a>
<b>Climate class</b>	<a href="#">4</a>
<b>Type of cooling</b>	<a href="#">dynamic</a>
<b>Number of shelves/basket</b>	<a href="#">3</a>
<b>Lighting</b>	<a href="#">vízszintes LED</a>

**Net weight (kg)**

[46](#)



