

Logos-4 plus | Glasswasher

SKU: 25049

ADDITIONAL INFORMATION

| | |
|--|------------------------------------|
| Weight | 73 kg |
| Dimensions | 670 × 670 × 910 mm |
| Packaging dimension (Wi) | 670 |
| Packaging dimension (De) | 670 |
| Packaging dimension (He) | 910 |
| External size (De) | 600 |
| External size (Hi) | 825 |
| Gross weight (kg) | 73 |
| Voltage (V/Hz) | 230V/50Hz |
| Noise (dB(A)) | 61 dB |
| Power (W) | 5400 |
| Energy consumption (kW/24h) | 129,60 |
| Control panel type | manual |
| Electric/gas | electric |
| Water consumption per cycle (l) | 3 |
| Basket dimensions (mm) | 500×500 |
| Number of baskets | 12/18 dish basket |
| Washing up efficiency (basket/hour) | 30 |
| Tank capacity (l) | 21 |
| Duration of the cycle (mp) | 70/120/180/240/300 |
| Maximal dish size (mm) | 300 |
| Net weight (kg) | 62 |



PRODUCT DESCRIPTION

Products from Univerbar's PLUS Line stand out for electronic touch buttons which allow the client to customise settings: there are 5 washing times to choose from, a double display that shows the temperature, and a main switch that changes colour according to the washing phase. There are also 21 different tailored parameters that technicians can program to guarantee a consistently correct set-up. PLUS Line products come with an electric rinse-aid pump which guarantees the best quality drying results for every washing cycle. PLUS products include a soft start function, which prevents steam from escaping from the door when washing starts. Furthermore, the eco-friendly hot water option helps reduce electric consumption. These products could also feature optional accessories, including: a thermal-stop option, which insures an 85° hot rinse, an extra rinse function and selections for other special cycles.

ADDITIONAL INFORMATION

| | |
|--|------------------------------------|
| Weight | 73 kg |
| Dimensions | 670 × 670 × 910 mm |
| Packaging dimension (Wi) | 670 |
| Packaging dimension (De) | 670 |
| Packaging dimension (He) | 910 |
| External size (De) | 600 |
| External size (Hi) | 825 |
| Gross weight (kg) | 73 |
| Voltage (V/Hz) | 230V/50Hz |
| Noise (dB(A)) | 61 dB |
| Power (W) | 5400 |
| Energy consumption (kW/24h) | 129,60 |
| Control panel type | manual |
| Electric/gas | electric |
| Water consumption per cycle (l) | 3 |
| Basket dimensions (mm) | 500×500 |
| Number of baskets | 12/18 dish basket |
| Washing up efficiency (basket/hour) | 30 |
| Tank capacity (l) | 21 |
| Duration of the cycle (mp) | 70/120/180/240/300 |
| Maximal dish size (mm) | 300 |
| Net weight (kg) | 62 |

