

MBA60G | Absorption System Minibar

SKU: 21975

ADDITIONAL INFORMATION

| | |
|---|---|
| Weight | 19,5 kg |
| Dimensions | 540 × 500 × 595 mm |
| Packaging dimension (Wi) | 500 |
| Packaging dimension (De) | 540 |
| Packaging dimension (He) | 595 |
| External size (Wi) | 482 |
| External size (De) | 507 |
| External size (Hi) | 570 |
| Internal size (Wi) | 400 |
| Internal size (De) | 301,5 |
| Internal size (He) | 480 |
| Gross weight (kg) | 19,5 , 60 |
| Voltage (V/Hz) | 230/50 |
| Power (W) | 75 |
| Energy consumption (kW/24h) | 1,10 |
| Gross capacity (l) | 60 |
| Net volume (l) | 58 |
| Refrigeration range (°C) | +5...+14 |
| Refrigerant type | NH3 + H2O |
| Max. temperature and humidity (°C/%) | 32/60% |
| Climate class | N |
| Type of cooling | absorption |
| Number of shelves/basket | 2 |
| Maximum shelf capacity (kg) | 6 |

| | |
|---|--------------------------------------|
| Size of the shelf/basket size (mm) | 414 × 240, 414 × 140 |
| Lock | optional |
| Lighting | yes |
| Type&number of doors | 1 glass door |
| Feet, wheels | 4 |
| Casing colour (exterior/interior) | white / white |
| Automatic defrost | yes |
| Net weight (kg) | 18 |





Thermotechnika Crown
Cool Kft.


MBA 60 G



435 kWh/annum



60 L



0dB
ABCD

2019/2016

PRODUCT DESCRIPTION

52-liter absorption system minibar with glass doors, plastic covering on the inside and outside and 2 adjustable wire shelves. Equipped with internal sensed LED lighting and reversible door. The minibar works with automatic defrosting, without vibrating light, with low noise level, ideal for hotel rooms. The cooler can be ordered in black and white.

ADDITIONAL INFORMATION

| | |
|---|---|
| Weight | 19,5 kg |
| Dimensions | 540 × 500 × 595 mm |
| Packaging dimension (Wi) | 500 |
| Packaging dimension (De) | 540 |
| Packaging dimension (He) | 595 |
| External size (Wi) | 482 |
| External size (De) | 507 |
| External size (Hi) | 570 |
| Internal size (Wi) | 400 |
| Internal size (De) | 301,5 |
| Internal size (He) | 480 |
| Gross weight (kg) | 19,5 , 60 |
| Voltage (V/Hz) | 230/50 |
| Power (W) | 75 |
| Energy consumption (kW/24h) | 1,10 |
| Gross capacity (l) | 60 |
| Net volume (l) | 58 |
| Refrigeration range (°C) | +5...+14 |
| Refrigerant type | NH3 + H2O |
| Max. temperature and humidity (°C/%) | 32/60% |
| Climate class | N |
| Type of cooling | absorption |
| Number of shelves/basket | 2 |
| Maximum shelf capacity (kg) | 6 |

| | |
|---|--------------------------------------|
| Size of the shelf/basket size (mm) | 414 × 240, 414 × 140 |
| Lock | optional |
| Lighting | yes |
| Type&number of doors | 1 glass door |
| Feet, wheels | 4 |
| Casing colour (exterior/interior) | white / white |
| Automatic defrost | yes |
| Net weight (kg) | 18 |

CE_MBA60G

[Download](#)

Termék adatlap_MBA60G

[Download](#)

Datasheet_MBA60G

[Download](#)

