

OHIO II - refrigerated top table unit | Ohio II left or right universal (without KIT)

**SKU:** 25081

### **ADDITIONAL INFORMATION**

<b>Weight</b>	75 kg
<b>Dimensions</b>	750 × 1320 × 850 mm
<b>Packaging dimension (Wi)</b>	<a href="#">1320</a>
<b>Packaging dimension (De)</b>	<a href="#">750</a>
<b>Packaging dimension (He)</b>	<a href="#">850</a>
<b>External size (Wi)</b>	<a href="#">1210</a>
<b>External size (De)</b>	<a href="#">630</a>
<b>External size (Hi)</b>	<a href="#">635</a>
<b>Gross weight (kg)</b>	<a href="#">75</a>
<b>Voltage (V/Hz)</b>	<a href="#">230/50</a>
<b>Power (W)</b>	<a href="#">250</a>
<b>Refrigeration range (°C)</b>	<a href="#">+2...+12</a>
<b>Refrigerant type</b>	<a href="#">R404A</a>
<b>Max. temperature and humidity (°C/%)</b>	<a href="#">+25/60</a>
<b>Type of cooling</b>	<a href="#">Static</a>
<b>Number of shelves/basket</b>	<a href="#">2</a>
<b>Maximum shelf capacity (kg)</b>	<a href="#">0,27m3</a>
<b>Lock</b>	<a href="#">no, no</a>
<b>Lighting</b>	<a href="#">No</a>
<b>Feet, wheels</b>	<a href="#">No</a>
<b>Automatic defrost</b>	<a href="#">yes</a>
<b>Exposition part (m2)</b>	<a href="#">1,3</a>
<b>Aggregate type</b>	<a href="#">built-in aggregate</a>
<b>Net weight (kg)</b>	<a href="#">70</a>



## **PRODUCT DESCRIPTION**

This counter top display cabinet with built-in aggregate is innovated version of Ohio. It is designed for presentation and sale of cooled products. There is a static cooling, which minimize drying of the displayed food. - Food stainless-steel construction, made from stainless-steel AISI 304 18/8. It has 2 pcs of shelves + bottom display board with internal lighting.

Service model has front and side double glass, Self-service models are equipped with a front hinged plexi doors or front sliding glass doors. Aggregate on right or left side (considered from back service view).

Electric controll unit, Automatic defrosting and evaporation of condensate. Refrigerant: environmentally friendly.

## ADDITIONAL INFORMATION

<b>Weight</b>	75 kg
<b>Dimensions</b>	750 × 1320 × 850 mm
<b>Packaging dimension (Wi)</b>	<a href="#">1320</a>
<b>Packaging dimension (De)</b>	<a href="#">750</a>
<b>Packaging dimension (He)</b>	<a href="#">850</a>
<b>External size (Wi)</b>	<a href="#">1210</a>
<b>External size (De)</b>	<a href="#">630</a>
<b>External size (Hi)</b>	<a href="#">635</a>
<b>Gross weight (kg)</b>	<a href="#">75</a>
<b>Voltage (V/Hz)</b>	<a href="#">230/50</a>
<b>Power (W)</b>	<a href="#">250</a>
<b>Refrigeration range (°C)</b>	<a href="#">+2...+12</a>
<b>Refrigerant type</b>	<a href="#">R404A</a>
<b>Max. temperature and humidity (°C/%)</b>	<a href="#">+25/60</a>
<b>Type of cooling</b>	<a href="#">Static</a>
<b>Number of shelves/basket</b>	<a href="#">2</a>
<b>Maximum shelf capacity (kg)</b>	<a href="#">0,27m3</a>
<b>Lock</b>	<a href="#">no, no</a>
<b>Lighting</b>	<a href="#">No</a>
<b>Feet, wheels</b>	<a href="#">No</a>
<b>Automatic defrost</b>	<a href="#">yes</a>
<b>Exposition part (m2)</b>	<a href="#">1,3</a>
<b>Aggregate type</b>	<a href="#">built-in aggregate</a>
<b>Net weight (kg)</b>	<a href="#">70</a>



