

Omega-4 | Glasswasher

SKU: 25038

ADDITIONAL INFORMATION

Weight	74 kg
Dimensions	670 × 670 × 910 mm
Packaging dimension (Wi)	670
Packaging dimension (De)	670
Packaging dimension (He)	910
External size (De)	600
External size (Hi)	825
Gross weight (kg)	7.4
Voltage (V/Hz)	400V~3N/50Hz
Noise (dB(A))	61 dB
Power (W)	5400
Energy consumption (kW/24h)	129,60
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	500×500
Number of baskets	22 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	21
Duration of the cycle (mp)	120
Maximal dish size (mm)	300
Net weight (kg)	66



GALLERY IMAGES



PRODUCT DESCRIPTION

Reliability and simplicity are the two distinguishing assets behind the BASIC Line from Univerbar. The products from this collection have been developed to guarantee the most user-friendly experience to our clients, and also to installers and maintenance providers, who can perform quick service on all parts of the machine. Products from the BASIC line guarantee the highest quality in dishwashing and since they have only two operating buttons, they are the easiest-to-use dishwashers on the market. The essential parts of the machines are made in stainless steel, particularly those inside the washing compartment. Products from the BASIC range stand out for exceptional internal components

featuring: heat-resistant cables, adjustable thermostats with set temperature indicator and electronic timers that can regulate machine functions.

ADDITIONAL INFORMATION

Weight	74 kg
Dimensions	670 × 670 × 910 mm
Packaging dimension (Wi)	670
Packaging dimension (De)	670
Packaging dimension (He)	910
External size (De)	600
External size (Hi)	825
Gross weight (kg)	7,4
Voltage (V/Hz)	400V~3N/50Hz
Noise (dB(A))	61 dB
Power (W)	5400
Energy consumption (kW/24h)	129,60
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	500×500
Number of baskets	22 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	21
Duration of the cycle (mp)	120
Maximal dish size (mm)	300
Net weight (kg)	66

