

SD 1502 BHE | Display Cooler

SKU: 25034

ADDITIONAL INFORMATION

| | |
|---|-------------------------|
| Weight | 264 kg |
| Dimensions | 1760 × 2140 × 770 mm |
| Megnevezés | |
| External size (Wi) | 2065 |
| External size (De) | 1710 |
| External size (Hi) | 720 |
| Net volume (l) | 1152 |
| Net weight (kg) | 200 |
| Refrigeration range (°C) | 0...+10 |
| Power (W) | 750 |
| Energy consumption (kW/24h) | 4,1 |
| Voltage (V/Hz) | 230/50 |
| Noise (dB(A)) | 65 |
| Internal size (Wi) | 1563,5 |
| Internal size (De) | 1613 |
| Internal size (He) | 595 |
| Packaging dimension (Wi) | 2140 |
| Packaging dimension (De) | 1760 |
| Packaging dimension (He) | 770 |
| Gross weight (kg) | 264 |
| Gross capacity (l) | |
| Energy class | C |
| Refrigerant type | |
| Max. temperature and humidity (°C/%) | 40/75 |
| Climate class | I |

Type of cooling [dynamic](#)

Number of shelves/basket

Size of the shelf/basket size (mm)

Lock

Lighting

Type&number of doors

Feet, wheels

Casing colour (exterior/interior)

Automatic defrost

Temperature controller type



GALLERY IMAGES



PRODUCT DESCRIPTION

The triple door display cooler is equipped with self-closing door and door lock, dynamic cooling, 15 adjustable wire shelves, 2 vertical LED lighting, illuminating canopy and digital control panel. The cooler is built upon 8 heavy-duty and strong castors. The cooling data provided is valid in case of 75% humidity and 40°C ambient temperature. Other values may modify cooling capacity of the product!

ADDITIONAL INFORMATION

| | |
|---|-------------------------|
| Weight | 264 kg |
| Dimensions | 1760 × 2140 × 770 mm |
| Megnevezés | |
| External size (Wi) | 2065 |
| External size (De) | 1710 |
| External size (Hi) | 720 |
| Net volume (l) | 1152 |
| Net weight (kg) | 200 |
| Refrigeration range (°C) | 0...+10 |
| Power (W) | 750 |
| Energy consumption (kW/24h) | 4,1 |
| Voltage (V/Hz) | 230/50 |
| Noise (dB(A)) | 65 |
| Internal size (Wi) | 1563,5 |
| Internal size (De) | 1613 |
| Internal size (He) | 595 |
| Packaging dimension (Wi) | 2140 |
| Packaging dimension (De) | 1760 |
| Packaging dimension (He) | 770 |
| Gross weight (kg) | 264 |
| Gross capacity (l) | |
| Energy class | C |
| Refrigerant type | |
| Max. temperature and humidity (°C/%) | 40/75 |
| Climate class | I |
| Type of cooling | dynamic |

Number of shelves/basket

**Size of the shelf/basket size
(mm)**

Lock

Lighting

Type&number of doors

Feet, wheels

**Casing colour
(exterior/interior)**

Automatic defrost

**Temperature controller
type**

