

Sincro plus | Glasswasher

SKU: 25048

ADDITIONAL INFORMATION

Weight	63 kg
Dimensions	670 × 670 × 910 mm
Packaging dimension (Wi)	670
Packaging dimension (De)	670
Packaging dimension (He)	910
External size (De)	550
External size (Hi)	775
Gross weight (kg)	63
Voltage (V/Hz)	230V/50Hz
Noise (dB(A))	61 dB
Power (W)	3600
Energy consumption (kW/24h)	86,40
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	450×450
Number of baskets	14/12 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	18
Duration of the cycle (mp)	70/120/180/240/300
Maximal dish size (mm)	280
Net weight (kg)	52



PRODUCT DESCRIPTION

Products from Univerbar's PLUS Line stand out for electronic touch buttons which allow the client to customise settings: there are 5 washing times to choose from, a double display that shows the temperature, and a main switch that changes colour according to the washing phase. There are also 21 different tailored parameters that technicians can program to guarantee a consistently correct set-up. PLUS Line products come with an electric rinse-aid pump which guarantees the best quality drying results for every washing cycle. PLUS products include a soft start function, which prevents steam from escaping from the door when washing starts. Furthermore, the eco-friendly hot water option helps reduce electric consumption. These products could also feature optional accessories, including: a thermal-stop option, which insures an 85° hot rinse, an extra rinse function and selections for other special cycles.

ADDITIONAL INFORMATION

Weight	63 kg
Dimensions	670 × 670 × 910 mm
Packaging dimension (Wi)	670
Packaging dimension (De)	670
Packaging dimension (He)	910
External size (De)	550
External size (Hi)	775
Gross weight (kg)	63
Voltage (V/Hz)	230V/50Hz
Noise (dB(A))	61 dB
Power (W)	3600
Energy consumption (kW/24h)	86,40
Control panel type	manual
Electric/gas	electric
Water consumption per cycle (l)	3
Basket dimensions (mm)	450×450
Number of baskets	14/12 dish basket
Washing up efficiency (basket/hour)	30
Tank capacity (l)	18
Duration of the cycle (mp)	70/120/180/240/300
Maximal dish size (mm)	280
Net weight (kg)	52

