

WSM 270 G-RLC | WSM 270 G - RLC | Glass Door Meat Dry Aging Remote Cooler

**SKU:** 16135

### **ADDITIONAL INFORMATION**

|   |                                       |
|---|---------------------------------------|
| <b>Weight</b>                             | 80 kg                                 |
| <b>Dimensions</b>                         | 650 × 840 × 1130 mm                   |
| <b>Brand</b>                              | <a href="#">SILFER</a>                |
| <b>Packaging dimension (Wi)</b>           | <a href="#">840</a>                   |
| <b>Packaging dimension (De)</b>           | <a href="#">650</a>                   |
| <b>Packaging dimension (He)</b>           | <a href="#">1130</a>                  |
| <b>External size (Wi)</b>                 | <a href="#">810</a>                   |
| <b>External size (De)</b>                 | <a href="#">620</a>                   |
| <b>External size (Hi)</b>                 | <a href="#">1000</a>                  |
| <b>Gross weight (kg)</b>                  | <a href="#">80</a>                    |
| <b>Voltage (V/Hz)</b>                     | <a href="#">230/50</a>                |
| <b>Power (W)</b>                          | <a href="#">370</a>                   |
| <b>Net volume (l)</b>                     | <a href="#">264</a>                   |
| <b>Refrigeration range (°C)</b>           | <a href="#">+4...+8</a>               |
| <b>Type of cooling</b>                    | <a href="#">dynamic, dynamic</a>      |
| <b>Number of shelves/basket</b>           | <a href="#">3</a>                     |
| <b>Size of the shelf/basket size (mm)</b> | <a href="#">700 x 410</a>             |
| <b>Lighting</b>                           | <a href="#">vertical LED</a>          |
| <b>Type&amp;number of doors</b>           | <a href="#">glass door</a>            |
| <b>Casing colour (exterior/interior)</b>  | <a href="#">steel / inox interior</a> |
| <b>Automatic defrost</b>                  | <a href="#">yes</a>                   |
| <b>Aggregate type</b>                     | <a href="#">installed aggregate</a>   |
| <b>Net weight (kg)</b>                    | <a href="#">6,5</a>                   |



## **PRODUCT DESCRIPTION**

WSM 270 G - RLC Glass Door Meat Dry Aging Remote Cooler makes the meat extremely dense with an intense flavor. The texture of the meat is not comparable to the "ordinary piece of meat". The culinary delights created by dry aging process and the consumption are not comparable! Inside the dry aging cooler the meat ages on the bone a constant humidity of around 75 % and a temperature of 4...8 °C. This equipment is made of stainless steel and consist LED lighting on both sides of the interior (2x2250 lm). The separate motor unit helps to exploit all the internal volume of the display cabinet to the full, eliminating all compressor noise from the premises. One or more cabinets can be installed quickly and easily in walls or specially-built niches, taking up a minimum amount of space. Additional features: ventillated cooling, automatic defrosting. WSM 270 G - RLC Glass Door Meat Dry Aging remote Cooler is available with 3 woodshelves (700 x 410 mm). The remote cooler is purchaseable also in cheese cooler version.

## ADDITIONAL INFORMATION

|   |                                       |
|---|---------------------------------------|
| <b>Weight</b>                             | 80 kg                                 |
| <b>Dimensions</b>                         | 650 × 840 × 1130 mm                   |
| <b>Brand</b>                              | <a href="#">SILFER</a>                |
| <b>Packaging dimension (Wi)</b>           | <a href="#">840</a>                   |
| <b>Packaging dimension (De)</b>           | <a href="#">650</a>                   |
| <b>Packaging dimension (He)</b>           | <a href="#">1130</a>                  |
| <b>External size (Wi)</b>                 | <a href="#">810</a>                   |
| <b>External size (De)</b>                 | <a href="#">620</a>                   |
| <b>External size (Hi)</b>                 | <a href="#">1000</a>                  |
| <b>Gross weight (kg)</b>                  | <a href="#">80</a>                    |
| <b>Voltage (V/Hz)</b>                     | <a href="#">230/50</a>                |
| <b>Power (W)</b>                          | <a href="#">370</a>                   |
| <b>Net volume (l)</b>                     | <a href="#">264</a>                   |
| <b>Refrigeration range (°C)</b>           | <a href="#">+4...+8</a>               |
| <b>Type of cooling</b>                    | <a href="#">dynamic, dynamic</a>      |
| <b>Number of shelves/basket</b>           | <a href="#">3</a>                     |
| <b>Size of the shelf/basket size (mm)</b> | <a href="#">700 x 410</a>             |
| <b>Lighting</b>                           | <a href="#">vertical LED</a>          |
| <b>Type&amp;number of doors</b>           | <a href="#">glass door</a>            |
| <b>Casing colour (exterior/interior)</b>  | <a href="#">steel / inox interior</a> |
| <b>Automatic defrost</b>                  | <a href="#">yes</a>                   |
| <b>Aggregate type</b>                     | <a href="#">installed aggregate</a>   |
| <b>Net weight (kg)</b>                    | <a href="#">6,5</a>                   |



